

## EAST Search History

## EAST Search History (Prior Art)

| Ref # | Hits | Search Query   | DBs   | Default Operator | Plurals | Time Stamp          |
|-------|------|--|---|------------------|---------|---------------------|
| L1    | 28   | wakayama.in.<br>near3 yorihiko   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2011/05/31<br>09:08 |
| L2    | 5    | ((z adj buffer) or<br>(depth adj<br>buffer)) same<br>(depth adj value)<br>same ((high<br>near3 bit) or (low<br>near3 bit)) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2011/05/31<br>09:23 |
| L3    | 26   | 345/422.cds. and<br>((high near3 bit)<br>or (low near3<br>bit)) and flag   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2011/05/31<br>09:24 |
| L4    | 203  | ((high near3<br>order near3 bit)<br>or (low near3<br>order near3 bit))<br>near3 flag                                       | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2011/05/31<br>09:36 |
| L5    | 4    | ((high near3 bit)<br>or (low near3<br>bit)) same flag<br>same ((depth adj<br>value) or (z adj<br>value))                   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2011/05/31<br>09:53 |
| L6    | 56   | ((high near3 bit)<br>or (low near3<br>bit)) same flag)<br>and ((depth adj<br>value) or (z adj<br>value))                   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2011/05/31<br>10:02 |

|     |     |  |   |    |    |                     |
|-----|-----|--|---|----|----|---------------------|
| L7  | 44  | 345/422.ccls. and (bit near3 flag)   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2011/05/31<br>10:04 |
| L8  | 59  | ((flag near3 ((high near3 bits) or (low near3 bits))) same ((comparing or compare or comparison) or (depth adj test) or (z adj test)))     | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2011/05/31<br>10:04 |
| L9  | 102 | "345".clas. and (((high near3 bits) or (low near3 bits))) near5 ((comparing or compare or comparison) or (depth adj test) or (z adj test)) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2011/05/31<br>10:04 |
| L10 | 1   | ((((high near3 bits) or (low near3 bits))) near5 ((depth adj test) or (z adj test)))   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2011/05/31<br>10:05 |
| L11 | 8   | ((((high near3 bits) or (low near3 bits))) same ((depth adj test) or (z adj test)))  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2011/05/31<br>10:06 |
| L12 | 10  | ((depth adj buffer) or (z adj buffer)) and ((separate or separable) near3 (high or low) near3 (buffer or memory))                          | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2011/05/31<br>10:06 |

|     |     |   |   |    |    |                     |
|-----|-----|---|---|----|----|---------------------|
| L13 | 3   | 345/422.cds. and<br>(bit adj string)  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2011/05/31<br>10:06 |
| L14 | 153 | ((initial\$5 or set<br>or setting or<br>reset or<br>resetting) same<br>((depth adj<br>value) or (z adj<br>value)) same<br>(shallow\$3 or<br>deep\$3)  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2011/05/31<br>10:06 |
| L15 | 174 | ((initial\$5 or set<br>or setting or<br>reset or resetting<br>or clear\$3) same<br>((depth adj<br>value) or (z adj<br>value)) same<br>(shallow\$3 or<br>deep\$3)                                  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2011/05/31<br>10:07 |
| L16 | 224 | ((initial\$5 or set<br>or setting or<br>reset or resetting<br>or clear\$3) same<br>((depth adj<br>value) or (z adj<br>value)) same<br>(shallow\$3 or<br>closest)                                  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2011/05/31<br>10:08 |
| L17 | 11  | ((initial\$5 or set<br>or setting or<br>reset or resetting<br>or clear\$3) same<br>((depth adj<br>value) or (z adj<br>value)) same<br>((high or highest)<br>same (low or<br>lowest) near5<br>bit) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2011/05/31<br>10:25 |

|     |      |   |   |    |    |                     |
|-----|------|---|---|----|----|---------------------|
| L18 | 1552 | ((initial\$5 or set or setting or reset or resetting or clear\$3) same ((depth adj value) or (z adj value)) same ((high or highest or big or biggest or most) or (low or lowest or small or smallest or least) near5 bit)   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2011/05/31<br>10:34 |
| L19 | 35   | ((initial\$5 or set or setting or reset or resetting or clear\$3) same ((depth adj value) or (z adj value)) same ((high or highest or big or biggest or most) same (low or lowest or small or smallest or least) near5 bit) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2011/05/31<br>10:34 |

## EAST Search History (I nterference)

| Ref # | Hits | Search Query  | DBs                      | Default Operator | Plurals | Time Stamp       |
|-------|------|---|--------------------------|------------------|---------|------------------|
| L20   | 2    | ((high adj order adj bit) and (low adj order adj bit) and (depth adj value)).<br>clm. | US-PGPUB;<br>USPAT; UPAD | OR               | ON      | 2011/05/31 15:16 |

5/ 31/ 2011 3:17:26 PM

C:\ Documents and Settings\ayang\ My Documents\ EAST\ Workspaces  
\ 3d\_shape\_drawing\_device\_AMD3.wsp